L Number	Hits	Search Text	DB	Time stamp
1	95	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and	USPAT; US-PGPUB;	2004/07/29
		register and interfac\$5)	EPO; JPO; DERWENT; IBM TDB	
2	74	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5) and @ad<20000801	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:54
3	69	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 11:55
4	0	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5).ab. and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:55
5	0	(method and access\$4 and (open adj proce\$5) and (memory with map\$5) and register and interfac\$5).clm. and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:55
6	0	(method same access\$4 same (open adj proce\$5) same (memory with map\$5) same register same interfac\$5) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:01
7	1	<pre>(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:02
8	1	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))).ab. and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:03
9	45	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:54
10	4	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:04
11	4	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory) and (point\$5 or (physical adj address\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:04
12	4	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory) and (point\$5 or (physical adj address\$3) or dma)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:06
13	2	(operation same application same simultaneous\$2 same allocat\$4 same (os or (operating adj system))) and @ad<19990909 and (map\$5 with memory) and (point\$5 or (physical adj address\$3)) and dma	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:07

BEST AVAILABLE COPY

15	7	(allocat\$5 same context same identif\$5	USPAT;	2004/07/29
		same (os or (operat\$4 adj system)) same	US-PGPUB;	12:10
		request\$4) and @ad<19990909	EPO; JPO;	
			DERWENT; IBM TDB	
16	16	(map\$3 same memory same context same	USPAT;	2004/07/29
1 - 0		identif\$5 same register) and @ad<19990909	US-PGPUB;	12:54
		radio1140 bame register, and caa(15550505	EPO; JPO;	12.01
		*	DERWENT;	
			IBM TDB	
17	0	(map\$3 same memory same context same	USPAT;	2004/07/29
		identif\$5 same register) and @ad<19990909	US-PGPUB;	12:18
		and (allocat\$4 with (process\$3 or	EPO; JPO;	
		unprocess\$4 or pending) with request\$4)	DERWENT;	
			IBM_TDB	
18	2	(map\$3 same memory same context same	USPAT;	2004/07/29
		identif\$5 same register).ab. and	US-PGPUB;	12:22
		@ad<19990909	EPO; JPO;	
			DERWENT;	
19	0	((open adj proce\$5) with (device or	IBM_TDB USPAT;	2004/07/29
19	0	((open ad) process) with (device of interface) with request\$4) and	US-PGPUB;	12:48
		((unprocess\$4 or pending or process\$4)	EPO; JPO;	12.40
		with (register or (context adj	DERWENT;	
		identif\$5))) and (request\$4 with stor\$4)	IBM TDB	
		and @ad<19990909		
20	183	((open adj proce\$5) and (device or	USPAT;	2004/07/29
		interface) and request\$4) and	US-PGPUB;	12:54
		((unprocess\$4 or pending or process\$4)	EPO; JPO;	
		and (register or (context adj	DERWENT;	
		identif\$5))) and (request\$4 and stor\$4)	IBM_TDB	
2.1		and @ad<19990909		2004/07/20
21	0	(((open adj proce\$5) and (device or	USPAT;	2004/07/29
	1	<pre>interface) and request\$4) and ((unprocess\$4 or pending or process\$4)</pre>	US-PGPUB; EPO; JPO;	12:55
		and (register or (context adj	DERWENT;	
		identif(\$5))) and (request\$4 and	IBM TDB	
		stor\$4)).clm. and @ad<19990909	12132	
22	0	(((open adj proce\$5) and (device or	USPAT;	2004/07/29
		interface) and request\$4) and	US-PGPUB;	12:49
:		((unprocess\$4 or pending or process\$4)	EPO; JPO;	
		and (register or (context adj	DERWENT;	
		identif\$5))) and (request\$4 and	IBM_TDB	
0.0		stor\$4)).ab. and @ad<19990909	*****	2004/07/20
23	1		USPAT; US-PGPUB;	2004/07/29
		proce\$5) and (memory with map\$5) and register and interfac\$5)) and	EPO; JPO;	12:54
		(710/5.ccls. or 710/29.ccls. or	DERWENT;	
		710/33.ccls. or 711/100.ccls. or	IBM TDB	
		711/200.ccls. or 712/405.ccls.)		
24	1	(method and access\$4 and (open adj	USPAT;	2004/07/29
		proce\$5) and (memory with map\$5) and	US-PGPUB;	12:55
		register and interfac\$5) and @ad<20000801	EPO; JPO;	
		and (710/5.ccls. or 710/29.ccls. or	DERWENT;	
		710/33.ccls. or 711/100.ccls. or	IBM_TDB	
26		711/200.ccls. or 712/405.ccls.)	HCDATE.	2004/07/20
26	1	(map\$3 same memory same context same identif\$5 same register) and @ad<19990909	USPAT;	2004/07/29
		and (710/5.ccls. or 710/29.ccls. or	US-PGPUB; EPO; JPO;	14.33
		710/33.ccls. or 711/100.ccls. or	DERWENT;	
		711/200.ccls. or 712/405.ccls.)	IBM TDB	
27	2	l	USPAT;	2004/07/29
		interface) and request\$4) and	US-PGPUB;	12:56
		((unprocess\$4 or pending or process\$4)	EPO; JPO;	
		and (register or (context adj	DERWENT;	
		identif(\$5))) and (request\$4 and stor\$4)	IBM_TDB	
		and @ad<19990909 and (710/5.ccls. or		
		710/29.ccls. or 710/33.ccls. or		
		711/100.ccls. or 711/200.ccls. or		
L	L	712/405.ccls.)	L	<u></u>

28	0	(((open adj proce\$5) and (device or	USPAT; US-PGPUB;	2004/07/29 12:56
		interface) and request\$4) and ((unprocess\$4)	EPO; JPO;	12:36
		and (register or (context adj	DERWENT;	
		identif\$5))) and (request\$4 and	IBM TDB	
		stor\$4)).clm. and @ad<19990909 and	TBM_TBB	
		(710/5.ccls. or 710/29.ccls. or		
		710/33.ccls. or 711/100.ccls. or		
		711/200.ccls. or 712/405.ccls.)		
25	2	(operation same application same	USPAT;	2004/07/29
	,	simultaneous\$2 same allocat\$4 same (os or	US-PGPUB;	12:56
		(operating adj system))) and @ad<19990909	EPO; JPO;	
		and (710/5.ccls. or 710/29.ccls. or	DERWENT;	
		710/33.ccls. or 711/100.ccls. or	IBM_TDB	
		711/200.ccls. or 712/405.ccls.)		